Shellfish Action Plan

Larne Lough

December 2019







Table of Contents

- 1.0 Introduction
- 2.0 Description of catchment
- 3.0 Objectives for Shellfish Water Protected Areas
 - 3.1 Water Framework Directive status and shellfish classification
- 4.0 Monitoring programmes for Shellfish Water Protected Areas and shellfish flesh
 - 4.1 Monitoring of *E. coli* in shellfish flesh
 - 4.2 Producer Responsibility
 - 4.3 Guideline microbiological standard (DAERA)
 - 4.4 Monitoring of Contaminants in Shellfish Flesh
 - 4.5 Investigative monitoring (DAERA)
- 5.0 Programme of Measures for Shellfish Water Protected Areas
- **6.0 Summary of Outputs**
- 7.0 Further information

Annex A Expanded Information from Summary of Outputs

Annex B Chemical Contaminant Monitoring

1.0 Introduction

Pollution Reduction Programmes (now Shellfish Action Plans) were established under Article 5 of the Shellfish Waters Directive (2006/113/EC) which stated that all Member States should establish programmes in order to reduce pollution in designated shellfish waters.

Shellfish Action Plans will next be reviewed on a priority basis starting in 2021 which is in line with the third River Basin Cycle under the Water Framework Directive.

The Shellfish Waters Directive was subsumed into the Water Framework Directive (2000/60/EC) in December 2013. Since then all shellfish waters are protected under the Water Framework Directive (WFD) and are hereafter referred to as Shellfish Water Protected Areas. Shellfish Water Protected Areas are afforded the same level of protection under WFD as they were under the Shellfish Waters Directive. The Department will continue to work to deliver effective management of Shellfish Water Protected Areas through the UK's post Brexit Marine Strategy.

Larne Lough (Mill Bay) was designated as a Shellfish Water in 1999. In 2009 the designated area was realigned. Food Standards Agency in Northern Ireland (FSA in NI) commissioned a Sanitary Survey Report in 2009¹ and a further Sanitary Review in 2015².

Larne Lough currently maintains one shellfish production area, consisting of two shellfish beds. Millbay (L5) harvests both Oysters and Mussels while Shingle Bay (L3) harvests just Oysters. Island Shellfish discontinued production in 2016 and White Quay Oysters and Mussels discontinued production in 2014. The current production area is licensed by the Department of Agriculture, Environment and Rural Affairs (DAERA) Marine and Fisheries Division.

¹ https://www.food.gov.uk/sites/default/files/media/document/larnelough.pdf

² https://www.food.gov.uk/sites/default/files/media/document/larnelough2014-15sanitarysurveyreview v1.1final.pdf

2.0 Description of catchment

Larne Lough is the smallest of the five Northern Ireland sea loughs. It is a shallow marine bay split into north and south basins and is enclosed on the eastern side by Islandmagee. The catchment area of the Lough covers an area of approximately 141km2. The two major river systems in the catchment are the Larne/Inver River and the Glynn River, along with a number of smaller streams which flow into Larne Lough. The Lough is relatively shallow with mud flats to the south exposed at low tide while the north end is wider and deeper. The main land use is improved grassland, arable farming and rural/suburban development. The main town in the area is Larne, with several smaller hamlets and villages scattered around the edge of the Lough.

The Larne Lough Sanitary Survey reported that there is a general predominance for pasture and grasslands on Islandmagee on the eastern side of the Lough. The western shore is predominantly urban with areas of intertidal flats at the head of the Lough. The urban areas around the Lough are the main potential source of microbiological contamination.





3.0 Objectives for Shellfish Water Protected Areas

Under WFD all Shellfish Water Protected Areas (SWPAs) must be managed to ensure that they meet their ecological and chemical objectives under WFD **AND** meet at least Class B status under the EU Hygiene Regulations. SWPAs must also make progress towards the WFD microbiological guideline standard of ≥75% of samples contain ≤230 *E.coli* in the shellfish flesh and intervalvular liquid³. The Food Standards Agency in NI is responsible for the implementation of Classification and monitoring programmes for shellfish for the protection of public health.

3.1 Water Framework Directive status and shellfish classification

Comprehensive monitoring programmes are in place to assess the status of Shellfish Water Protected Areas under the WFD and classification under the EU Hygiene Regulations. A suite of determinands is assessed to determine ecological status and the overall objective under WFD. Larne Lough Shellfish Water Protected Area lies between both Larne Lough Mid and Larne Lough South water bodies. Mill Bay, Shingle Bay and Island Shellfish all fall within Larne Lough South.

Table 1 shows the future WFD ecological objective for Larne Lough Mid and South water bodies Both Larne Lough Mid⁴ and Larne Lough South⁵ will/ or have shown improvement.

³http://www.legislation.gov.uk/nisr/2015/351/contents/made

⁴ https://www.daera-

ni.gov.uk/sites/default/files/publications/doe/Larne%20Lough%20Mid%20Coastal%202nd%20Cycle%202015.PDF

⁵ https://www.daera-

ni.gov.uk/sites/default/files/publications/doe/Larne%20Lough%20South%20Coastal %202nd%20Cycle%20215.PDF

Table 1. WFD Ecological Status and Objectives for Larne Lough Mid and South

Water Body	2021 Objective	2027 Objective
Larne Lough Mid	Good Ecological Status & Class B under EU Hygiene	Good Ecological Status & Class B under EU Hygiene
	Regulations	Regulations
Larne Lough South	Good Ecological Status & Class B under EU Hygiene Regulations	Good Ecological Status & Class B under EU Hygiene Regulations

Table 2 shows the Classification status at Larne Lough Mid and South under WFD (colour) and the licensed shellfish beds under the EU Hygiene Regulations (text).

Table 2. Classification status of shellfish production areas in Larne Lough

	2018	2017	2016	2015	2014	2013
Millbay (Mussels) (AFFNI 21B-L5)	В	В	В	В	В	В
Millbay (Oysters) (AFFNI 21B-L5)	В	В	В	A Provisional	A Provisional	A Provisional
Island Shellfish (AFFNI 21A-L1)	N/A	N/A	N/A	В	В	В
Shingle Bay (AFFNI 88-L3)	В	В	В	A Provisional	A Provisional	A Provisional
White Quay Oysters	N/A	N/A	N/A	N/A	N/A	A Provisional

A provisional classification is given when a new bed is classified based on a limited number of samples or when a bed is borderline compliant with criteria of a classification.

Key to WFD Status

High	
Good	Good Ecological Potential
Moderate	Moderate Ecological Potential
Poor	Poor Ecological Potential
Bad	Bad Ecological Potential

It should be noted, Larne South declined from 'Good' in 2015 to 'Moderate' WFD status in 2018. Macroalgae (macroalgal blooming tool) was responsible for this change. This change, however, may not represent a true decline in status but rather reflects improvements in sampling and data availability that provided a more realistic assessment.

4.0 Monitoring programmes for Shellfish Water Protected areas and shellfish flesh

4.1 Monitoring of *E. coli* in shellfish flesh

FSA in NI conducts monthly analysis of *E. coli* in shellfish flesh as part of its Official Control monitoring. This analysis is used to classify the quality of shellfish production areas. The classification determines the level of post-harvest treatment required before placing shellfish product from that area on the market. The FSA in NI's Official Control monitoring programme is solely for the purpose of classification of shellfish production areas. It is not intended as an indication of the end product standard of shellfish. Responsibility for ensuring the safety of shellfish which are placed on the market for human consumption rests solely with the food business operator (FBO)⁶.

_

⁶ https://www.food.gov.uk/business-guidance/biotoxin-and-phytoplankton-monitoring

Table 3. Shellfish classification and post-harvest treatment

	Classification of harvesting areas					
Category	E.coli per 100g flesh and intravalvular liquid	Post-harvest treatment required				
A	≤230	May go directly for human consumption if end product standard met.				
В	90% results <4600 Remaining 10% results <46000 100% results <46000	Must be subject to purification or cooked by an approved method.				
С	<46,000	Must be subject to relaying for a period of at least 2 months or cooked by an approved method.				
	>46,000 E.coli/100g of flesh	Prohibited. Harvesting not permitted.				

4.2 Producer responsibility

Shellfish producers and harvesters have obligations under the EU Hygiene Regulations to ensure the quality of the product which they place on the market for human consumption. Producers should have an understanding and awareness of the environment in which product is being produced. Producers should use where possible, their own testing regimes to inform business management decisions. It is acknowledged that in order to make sounds decisions, producers need access to appropriate and timely information relating to the quality of the shellfish water and anything which has the potential to impact upon it.

4.3 Guideline microbiological standard (DAERA)

The shellfish flesh monitoring programme is operated by FSA in NI. The analyses in shellfish flesh are carried out by Northern Ireland Public Health Laboratories and results are reported back to both DAERA and FSA in NI.

In addition to being used for the Official Control monitoring for the microbiological shellfish classification carried out by the FSA in NI, this information is also used by DAERA to determine the status of Shellfish Water Protected Areas against a guideline microbiological standard for shellfish flesh which is set in the Water Framework Directive (Priority Substances and Classification) (Amendment) Regulations (Northern Ireland) 2015. This guideline standard requires that 75% of samples contain \leq 230 E. coli per 100ml of shellfish flesh and intervalvular liquid.

Table 4 shows the status of Larne Lough against the WFD Guideline standard.

Shellfish Water Protected Area	2018	2017	2016	2015	2014	2013
Larne Lough						
Total Number of						
Samples	12	13	12	20	34	36
% Samples						
Meeting	50	62	67	65	62	89
Guideline						

Met Guideline
Did Not Meet Guideline

4.4 Monitoring of contaminants in shellfish flesh

Annual analysis of a suite of contaminants in shellfish flesh is carried out in all seven of the sea loughs/areas in Northern Ireland in which shellfish are cultivated and harvested. This is a joint programme of monitoring currently in place with FSA in NI and DAERA to meet both organisations' requirements under EU legislative requirements, OSPAR (Oslo/Paris convention (for the Protection of the Marine Environment of the North-East Atlantic)) and to enable DAERA to determine compliance with a range of environmental obligations relating to Shellfish Water Protected Areas.

The suite of contaminants tested for includes trace metals, lipids, dioxins, polycyclic aromatic hydrocarbons (PAHs) and polychlorinated biphenyls (PCBs). See Annex A.

4.5 Investigative monitoring (DAERA)


Where Shellfish Water Protected Areas are at risk of failing to meet objectives, specific investigative monitoring is undertaken of the protected areas, rivers and any other potential sources of pollution identified.

In addition to the measures set out in this Shellfish Action Plan, DAERA will investigate any pollution incident and/or deterioration in water quality. Formal arrangements are in place between DAERA, NI Water and the FSA in NI to investigate and respond to

incidents relating to water quality at Shellfish Water Protected Areas. This includes responding to requests for investigation of FSA in NI microbiological official control sample results which are outwith the classification of the shellfish production area and any pollution incident in the proximity of a Shellfish Water Protected Area.

It is an offence under the terms of the Water (Northern Ireland) Order 1999 to cause pollution to a waterway. Pollution incidents will be investigated in accordance with the DAERA Enforcement and Prosecution Policy, which can be found at; https://www.daera-ni.gov.uk/sites/default/files/publications/daera/emfg-enforcement-policy.pdf

Figure 2. Licensed shellfish production areas in Larne Lough, showing sampling points for microbiological analysis, the Shellfish Water Protected Area and potential point pollution sources.



Key - Larne Lough

- 1: Newpark Wastewater Pumping Station
- 2: Magheramorne Wastewater Pumping Station
- 3: Magheramorne Wastewater Treatment Works
- 4: Millbay Wastewater Pumping Station

5.0 Programme of Measures to Protect Shellfish Water Protected Areas

A North Eastern River Basin Management Plan was published in December 2009, identifying where the water environment needed to be protected or improved, the timeframe to make these improvements and how this could be achieved through a Programme of Measures.

Since this first Plan was published in 2009, the Department has been working with others to make improvements detailed within the Plan. Progress has been made and there are signs of improvement throughout the North Eastern River Basin District water environment. NIEA has updated the Programme of Measures taking into consideration existing measures and identifying new measures which are required to meet the objectives for 2021 and 2027.

A second North Eastern River Basin Management Plan was published in 2015 which builds on the positive work already being carried out. It details changes and new measures for the second river basin planning cycle 2015-2021. The Programme of Measures aims to address the key pressures through concentrated efforts targeted at greatest threats to the water environment. From assessments conducted, two significant sources of pressure have been identified that are preventing water bodies from achieving good status in the North Eastern River Basin District. These are diffuse pressures and point source pressures from both agricultural, urban wastewater and development.

A summary of some of the existing and planned measures is below. More detail can be found at https://www.daera-ni.gov.uk/sites/default/files/publications/doe/water-report-north-eastern-river-basin-plan-2015.pdf

https://www.daera-ni.gov.uk/sites/default/files/publications/daera/NIEA%20-%20WFD%20Statistics%20Report%202018.pdf

Key Sector – Agriculture – General

Specific actions for Larne Lough are highlighted in the report card below.

Pressure Type – Diffuse and Point Source Pollution

Improvements required – Reduction in nutrient inputs and reduction in organic waste, reduction in pollution from sediment, education and awareness.

A **Memorandum of Understanding** has been signed between NIEA and the Ulster Farmers' Union. It is hoped that the MOU will assist in improving environmental outcomes, including improving water quality through addressing diffuse pollution.

One new incentive the Department has introduced is the **Environment Farming Scheme** (EFS) Launched in February 2017, this is a voluntary scheme that will support farmers and land managers to carry out environmentally beneficial farming practices on agricultural land. Agriculture pollution can have potentially damaging effects on rivers and shellfish growing waters. Many of our shellfish waters are in rural catchments and can therefore be susceptible to agricultural pollution. The scheme includes elements to improve and enhance water quality through both individual and group catchment improvement actions. Measures to improve water quality include buffer strips around rivers and riverine fencing.

The **Catchment Care Project**, which will be funded under INTERREG VA, will look at a range of agricultural issues across three catchments which have the potential to cause water pollution. The project will also examine measures to mitigate against water pollution impacts. The catchments are the Arney, Finn and Blackwater.

A **Strategic Agricultural Land Management Strategy** was launched by Minister McIlveen on 21st October 2016. Some of the recommendations within the Strategy are now being progressed by a pilot scheme in the Upper Bann catchment. A report on the effectiveness of the pilot, which will influence future management of agricultural land use incorporating better protection of waterways.

Although both the Catchment Care Project and the Strategic Land Management Strategy pilot are not within shellfish water catchments, the methodology and findings will be transferable to other sites.

Knowledge Advisory Service

A knowledge focussed service, managed by CAFRE which will deliver proactive programmes and drive innovation to improve the economic and environmental performance and resilience of the land based and food processing industries. Early indications are that interactions with the Knowledge Advisory Service and NIEA will help to provide advice to farmers on the linkages between their agricultural practices and impacts on water quality.

Compliance and Enforcement Visits – DAERA to enforce closed spreading period for slurries and application on land restrictions. Encourage and advise on good land management practices such as; riverbank fencing and riparian buffer strips.

Key Sector – Sewage and Industry – General.

Specific actions for Larne Lough are highlighted in the report card below.

Pressure Type – Diffuse and Point source pollution

Improvements required – Reduction in pollution from sewage, reduction in nutrient and dangerous substances, reduction in pollution from unsewered properties, reduction in pollution from industry.

Actions – Northern Ireland Water Price Control (PC) process ensures investment in infrastructure. DAERA continue work on microbial source tracking to identify sources of bacterial contamination. Reviews of discharge consents on a catchment basis and comply with discharge standards in quality and quantity. Also improvements to existing controls on septic tanks, develop models and catchment based approaches to protect areas.

Key Sector – Urban Catchment

Pressure Type – Diffuse and point source pollution

Improvements required – Control of diffuse and point source pollution, reduction in pollution and flood risk,

Actions – Promote and adopt good practice with respect to storage, use and disposal of hazardous chemicals. Promote wider use of Sustainable Urban Drainage Systems (SuDs) and buffer strips.

The water environment in the North Eastern River Basin District is being managed at a local level through Local Management Area action plans, including the Larne Lough Local Management Area action plan. In 2017 and 2018, activities have focussed on targeted catchments to best utilise resources.

Catchment Stakeholder groups provide forums for stakeholders to discuss water management issues in their local area and to work in partnership to address them.

Local Management Area Plan and 2013 update for Larne Lough⁷

⁷ https://www.daera-ni.gov.uk/publications/larne-lough-local-management-area-action-plan-and-update-2013

6.0 Summary of Outputs

Action	ns in Improving Sewerage Network and Waste Water Treatment Works
Monit	toring and Investigations
Action	ns in Reducing Agricultural Inputs
Overa	all Management Actions

How much did we do #	How well did we do it %
Actions in improving Sewerage Network and Waste Water Treat	ment Works
Sewerage network improvements	Northern Ireland Water is carrying out a Drainage Area Study as part of PC15.
Upgrades of WWTW	Larne WWTW was built in 2005 and had bacterial reduction (UV treatment) added in 2008.
Monitoring and investigations	
WFD classification (2015/21)	Larne Lough Mid and Larne Lough South are both currently classified as Moderate, with the 2021 objective for each being Good.
Food Standards Agency <i>E. coli</i> in flesh programme (Annual Classification) 2002 - 2018	Full statistical analysis of the raw data is presented in Annex A
Pollution Investigations in the 1km radius around Larne Lough	Since 2012 the number of pollution investigations remains consistently low
Actions in reducing Agricultural Inputs	
Inspection and enforcement of the NAP Regulations carried out by NIEA	Around 300 farm businesses annually assessed for compliance with the Nitrates Directive. Levels of non-compliance decreased in 2014-16, but increased in 2017 and 2018.

Overall Management Actions	
Statistical calculations using Seasonal Kendall test (SK test) were investigated for all data available from FSA E-coli monitoring programme.	This process is quality assured to the ISO9001:2008 standard.

Is anyone better off as a result #/%

It is not possible to measure temporal trends using shellfish flesh classifications alone. Full statistical analysis of raw data is required (See Annex A).

Improving trend at Larne Lough White Quay Oysters.

Overall a highly significant declining monotonic trend in E. coli (improvement) was observed at Larne Lough White Quay Oysters. When assessing trend by month, significant declining monotonic trend was detected in January.

Although overall it did not exhibit a significant declining monotonic trend, L3 AFFNI 88 Oysters showed a significant monthly declining monotonic trend in E. coli in November.

Although overall it did not exhibit a significant increasing monotonic trend, L5 AFFNI 21B showed a significant monthly increasing monotonic trend in E coli in July.

Pollution investigations are carried out by Water Management Unit. Since 2012 there has been **an overall consistently low number of reported pollution incidents**, there were no confirmed high severity incidents within the time period.

Overall WFD status for both Larne Lough Mid and Larne Lough South Waterbodies Moderate (the 2021 classification objective for both is Good)

Inspection and enforcement of the NAP Regulations is carried out by NIEA. Around 300 farm businesses are now selected for scheduled inspection each year and all are assessed for compliance with the Nitrates Directive. **The levels of non-compliance were found to be reducing from 2014 to 2016. However in 2017 and 2018 the levels of non-compliance increased.** NIEA have increased the number of identified risk farms to visit in 2019 and will increase the number of inspections in selected priority water bodies this year.

Conclusions – Larne Lough continues to perform well. WFD standards are at moderate status, with a 2021 objective of good. Pollution incidents remain low and whilst the Shellfish Water Protected Area did not meet WFD Shellfish Guideline standards, production areas continue to consistently produce Class B shellfish, with improving trends at a number of sites. DAERA will continue to monitor the area to ensure no significant deterioration of the lough occurs.

Any incident should be reported to the NIEA Water Pollution Hotline on **0800 80 70 60**



7.0 Further Information:

Further Information is available at:

www.daera-ni.gov.uk

Or by Emailing:

MarineDivision.InfoRequests@daera-ni.gov.uk

Action/Output	Group	Completed, Ongoing or Planned
Upgrades to Sewerage Network		
Combined Sewer Overflow (CSO) monitor installation due to be completed by mid-2019. Pilot project completed 2018, to be rolled out to CSOs within 2km of identified bathing waters and Shellfish Water Protected Areas.	NI Water	Ongoing
Northern Ireland Water is currently carrying out a Drainage Area Study.	NI Water	Ongoing
Upgrades to Dundrum Wastewater Treatment Works		
Larne WWTW was built in 2005 and had bacterial reduction (UV treatment) added in 2008.	NI Water	Ongoing
Monitoring and Investigations		
The current 2018 status of Larne Lough North is Moderate Ecological Potential (Heavily Modified waterbody) and the 2021 objective is Good Ecological Potential. Larne Lough Mid and Larne Lough South are both currently classified as Moderate, with the 2021 objective for each being Good.	DAERA	Ongoing
E. coli in shellfish flesh monthly Official Control monitoring and classification programme - Increased knowledge and better understanding of what's happening in all	FSA in NI	Ongoing
Catchments	DAERA	Ongoing
It is not possible to measure temporal trends using FSA in NI shellfish flesh classifications alone. Full statistical analysis of raw data is required.		3 3
Statistical calculations using Seasonal Mann-Kendall test (SM-K test). Using SM-K tests, it was found; (Period 2002-2018)		
 No data have been gathered for Larne Lough White Quay Oysters since 2014. From 2002 to 2014, overall there was a highly significant declining monotonic trend in Ecoli. When assessing trend by month significant declining monotonic trend was detected in January. Although it did not exhibit a significant decreasing monotonic trend overall, L3 AFFNI 88 Oysters showed a significant monthly decreasing monotonic trend in E. coli in November. 		

 Although overall it did not exhibit a significant increasing monotonic trend overall, L5 AFFNI 21B Oysters showed a significant monthly increasing monotonic trend in E coli in July

SM-K is a nonparametric test that analyses data for monotonic trends in seasonal data. It is the most popular trend test in environmental studies. "Monotonic" means a consistent upwards or downwards trend. "Seasonal" means that data is collected for periods where trends can are upwards or downwards. While it can refer to Spring, Summer etc., "seasonal" can also refer to other time periods, such as months. This will allow analysis of monthly trends over all the years' data alongside an overall annual trend.

Pollution Investigations within 1km radius of Larne Lough Breakdown by category

Pollution investigations continue to be carried out by Water Management Unit when possible pollution has been reported through the Emergency Pollution Hotline or identified by WMU staff. Since 2012 the overall number of pollution investigations, continues to remain relatively low. 2016 and 2017 were the only years to have seen a medium severity incident.

High	Medium	Low	Total Incidents
0	0	3	3
0	0	3	3
0	0	5	5
0	0	2	2
0	1	3	4
0	1	3	4
0	0	0	0
	0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 1	0 0 3 0 0 3 0 0 5 0 0 2 0 1 3 0 1 3

DAERA – Water Manage ment Unit Ongoing

Actions In Reducing Agricultural Inputs		
Inspection and enforcement of the NAP Regulations is carried out by NIEA. Around 300 farm businesses are now selected for scheduled inspection each year and all are assessed for compliance with the Nitrates Directive. The	Water Manage ment Unit	Ongoing
levels of non-compliance were found to be reducing from 2014 to 2016. However in 2017 the levels of non-compliance increased and the same increased level of		
non-compliance was found in 2018. The main non-compliances found over the period were nitrate pollution		
and defective effluent storage, with N loading in 2017 and spreading issues last year due to the exceptionally wet winter in 2017-2018.		

Annex B

Contaminants in shellfish flesh monitored by DAERA and FSA in NI

Metals	Polycyclic aromatic Hydrocarbons
Arsenic	Naphthalene
Silver	Phenanthrene
Cadmium	Anthracene
Chromium	Fluoranthene
Copper	Pyrene
Iron	Benzo (a) Anthracene
Mercury	Chrysene
Nickel	5 Methyl Chrysene
Lead	Benzo (b) Fluoranthene
Zinc	Benzo (k) Fluoranthene
Selenium	Benzo (j) Fluoranthene
	Benzo (c) Fluorene
	Benzo (a) Pyrene
	Indeno (123,cd) Pyrene
	Dibenzo (a,h) Anthracene
	Benzo (ghi) Perylene
	Dibenzo (a,l) Pyrene
	Dibenzo (a,e) Pyrene
	Dibenzo (a,i) Pyrene
	Dibenzo (a,h) Pyrene
	Cylcopenta (c,d) Pyrene

Polychlorinated Biphenyls	
PCB 28	
PCB 52	
PCB 101	
PCB 118	
PCB 138	
PCB 153	
PCB 180	

Dibenzo-p-dioxins (PCDDs)
2,3,7,8-TCDD
1,2,3,7,8-PeCDD
1,2,3,4,7,8-HxCDD

1,2,3,6,7,8-HxCDD	
1,2,3,7,8,9-HxCDD	
1,2,3,4,6,7,8-HpCDD	
OCDD	

Department of Agriculture, Environment and Rural Affairs Marine and Fisheries Division 17 Antrim Road Tonagh Lisburn BT28 3AL

Water Pollution Hotline: 0800 807060

Email: Marine.InfoRequests@daera-ni.gov.uk

ISBN: 978-1-83887-005-8



