

Audit Tables

Every Child Counts

**Regional Audit of the Child Health Promotion Programme –
Health Visiting and School Nursing Service**

March 2016

Health Visiting Results

Diagram 1: Numbers for Antenatal contact offered 14-16wks

	SHSCT (n= 35)		SEHSCT (n=31)		NHSCT (n=37)		WHSCT (n=24)		BHSCT (n=30)		Regional (n=157)	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Antenatal contact offered 14-16wks	12 (34%)	23 (66%)	21 (68%)	10 (32%)	18 (49%)	19 (51%)	5 (21%)	19 (79%)	0 (0%)	30 (100%)	56 (36%)	101 (64%)
Antenatal status been recorded on the NBR Part 2	34 (97%)	1 (3%)	30 (97%)	1 (3%)	37 (100%)	0 (0%)	23 (96%)	1 (4%)	25 (83%)	5 (17%)	149 (95%)	8 (5%)
Antenatal contact completed	9 (26%)	26 (74%)	9 (29%)	22 (71%)	13 (35%)	24 (65%)	4 (17%)	20 (83%)	1 (3%)	29 (97%)	36 (23%)	121 (77%)

Diagram 2/3: NBR completed in Trust and numbers completed within 10-14 days – Trust wide

	SHSCT (n= 35)		SEHSCT (n=31)		NHSCT (n=37)		WHSCT (n= 24)		BHSCT (n=30)		Regional (n=157)	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
NBR completed	35 (100%)	0 (0%)	31 (100%)	0 (0%)	37 (100%)	0 (0%)	24 (100)	0 (0%)	30 (100%)	0 (0%)	157 (100%)	0 (0%)
	SHSCT (n= 35)		SEHSCT (n=31)		NHSCT (n=37)		WHSCT (n= 24)		BHSCT (n=30)		Regional (n=157)	
DIAGRAM 3: Completed within 10-14 days	33 (94%)	2 (6%)	24 (77%)	7 (23%)	36 (97%)	1 (3%)	20 (83%)	4 (17%)	22 (73%)	8 (27%)	135 (86%)	22 (14%)
DIAGRAM 2: NBR completed at 14+ days	2 (6%)	33 (94%)	7 (23%)	24 (77%)	1 (3%)	36 (97%)	4 (17%)	20 (83%)	8 (27%)	22 (73%)	22 (14%)	135 (86%)

DIAGRAM 4: 6-8 week health review contact

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=37)			WHSCT (n= 24)			BHSCT (n=30)			Regional (n=157)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
6 – 8 week health review completed	34 (97%)	1 (3%)	0 (0%)	31 (100%)	0 (0%)	0 (0%)	37 (100%)	0 (0%)	0 (0%)	24 (100%)	0 (0%)	0 (0%)	29 (97%)	1 (3%)	0 (0%)	155 (99%)	2 (1%)	0 (0%)
Contact completed at home	28 (80%)	6 (17%)	1 (3%)	30 (97%)	1 (3%)	0 (0%)	37 (100%)	0 (0%)	0 (0%)	23 (96%)	1 (4%)	0 (0%)	21 (70%)	8 (27%)	1 (3%)	139 (89%)	16 (10%)	2 (1%)
6-8 week contact completed at Clinic	6 (17%)	28 (80%)	1 (3%)	1 (3%)	30 (97%)	0 (0%)	0 (0%)	37 (100%)	0 (0%)	1 (4%)	23 (96%)	0 (0%)	8 (27%)	21 (70%)	1 (3%)	16 (10%)	139 (89%)	2 (1%)

DIAGRAM 5: 14-16 week health review contact

	SHSCT (n= 35)		SEHSCT (n=31)		NHSCT (n=37)		WHSCT (n= 24)		BHSCT (n=30)		Regional (n=157)	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
14-16 week health review completed	33 (94%)	2 (6%)	30 (97%)	1 (3%)	37 (100%)	0 (0%)	24 (100%)	0 (0%)	28 (93%)	2 (7%)	152 (97%)	5 (3%)

DIAGRAM 6: 6-9 month health review contact

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=37)			WHSCT (n= 24)			BHSCT (n=30)			Regional (n=157)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
6-9 month health review contact completed	28 (80%)	7 (20%)	0 (0%)	16 (52%)	15 (48%)	0 (0%)	34 (%)	1 (%)	0 (%)	24 (%)	2 (%)	0 (%)	25 (%)	4 (%)	0 (%)	127 (%)	29 (%)	0 (%)
Completed at home	5 (14%)	23 (%)	7 (20%)	5 (16%)	11 (35%)	15 (48%)	33 (%)	1 (%)	1 (%)	13 (%)	11 (%)	2 (%)	15 (%)	11 (%)	3 (%)	71 (%)	57 (%)	28 (%)
Completed in a group	0 (0%)	28 (80%)	7 (20%)	3 (10%)	13 (42%)	15 (48%)	0 (%)	34 (%)	1 (%)	0 (%)	24 (%)	2 (%)	0 (%)	16 (%)	13 (%)	3 (%)	115 (%)	38 (%)

DIAGRAM 7: Year 1 health review contact

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=35)			WHSCT (n= 26)			BHSCT (n=29)			Regional (n=156)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
1 year health review completed	31 (89%)	4 (11%)	0 (0%)	31 (100%)	0 (0%)	0 (0%)	35 (100%)	0 (0%)	0 (0%)	26 (100%)	0 (0%)	0 (0%)	15 (52%)	14 (48%)	0 (0%)	138 (88%)	18 (12%)	0 (0%)
1 year completed at home	11 (31%)	20 (57%)	4 (11%)	14 (45%)	17 (55%)	0 (0%)	28 (80%)	7 (20%)	0 (0%)	10 (38%)	16 (62%)	0 (0%)	10 (34%)	5 (17%)	14 (48%)	73 (47%)	65 (42%)	18 (11%)
1 year completed at clinic	20 (57%)	11 (31%)	4 (11%)	17 (55%)	14 (45%)	0 (0%)	7 (20%)	28 (80%)	0 (0%)	16 (62%)	10 (38%)	0 (0%)	5 (17%)	10 (34%)	14 (48%)	65 (42%)	73 (47%)	18 (11%)

DIAGRAM 8: 2 year review

	SHSCT (n= 35)			SEHSCT (n=30)			NHSCT (n=36)			WHSCT (n= 25)			BHSCT (n=30)			Regional (n=156)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
2 year health review contact completed	34 (97%)	1 (3%)	0 (0)	30 (100%)	0 (0%)	0 (0%)	35 (97%)	1 (3%)	0 (0%)	25 (100%)	0 (0%)	0 (0%)	26 (87%)	4 (13%)	0 (0%)	150 (96%)	6 (4%)	0 (0%)
2 year completed at home	11 (31%)	23 (66%)	1 (3%)	24 (80%)	6 (20%)	0 (0%)	29 (81%)	6 (17%)	1 (3%)	16 (64%)	9 (36%)	0 (0%)	20 (67%)	6 (20%)	4 (13%)	100 (64%)	50 (32%)	6 (4%)
2 year completed in clinic	23 (66%)	11 (31%)	1 (3%)	6 (20%)	24 (80%)	0 (0%)	6 (17%)	29 (81%)	1 (3%)	9 (36%)	16 (64%)	0 (0%)	6 (20%)	20 (67%)	4 (13%)	50 (32%)	100 (64%)	6 (4%)

DIAGRAM 9: 4 year record review – Trustwide

	SHSCT (n= 35)			SEHSCT (n=29)			NHSCT (n=36)			WHSCT (n= 24)			BHSCT (n=25)			Regional (n=149)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
4 year record review completed	34 (97%)	1 (1%)	0 (0%)	27 (93%)	2 (7%)	0 (0%)	36 (100%)	0 (0%)	0 (0%)	16 (67%)	8 (33%)	0 (0%)	20 (80%)	5 (20%)	0 (0%)	133 (89%)	16 (11%)	0 (0%)
4 year Telephone contact completed	9 (26%)	26 (74%)	0 (0%)	20 (69%)	9 (7%)	0 (0%)	27 (75%)	9 (25%)	0 (0%)	3 (13%)	12 (50%)	9 (38%)	0 (0%)	21 (84%)	4 (16%)	59 (40%)	77 (52%)	13 (9%)
4 year Face to face contact completed	20 (57%)	15 (43%)	0 (0%)	5 (7%)	24 (83%)	0 (0%)	9 (25%)	27 (75%)	0 (0%)	12 (50%)	3 (13%)	9 (38%)	12 (48%)	9 (36%)	4 (16%)	58 (39%)	78 (52%)	13 (9%)

DIAGRAM 10: Growth Monitoring completed at the 1 year and 2 year health review contact – Trustwide

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=35)			WHSCT (n= 26)			BHSCT (n=29)			Regional n=156)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Growth measurements completed at 1 year	29 (83%)	2 (6%)	4 (11%)	31 (100%)	0 (0%)	0 (0%)	35 (100%)	0 (0%)	0 (0%)	25 (96%)	1 (4%)	0 (%)	15 (52%)	0 (0%)	14 (48%)	135 (87%)	3 (2%)	18 (12%)
	SHSCT (n= 35)			SEHSCT (n=30)			NHSCT (n=36)			WHSCT (n= 25)			BHSCT (n=30)			Regional (n=156)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Growth measurements completed at 2 years	32 (91%)	0 (0%)	3 (9%)	23 (77%)	3 (10%)	4 (13%)	31 (86%)	4 (11%)	1 (3%)	18 (72%)	7 (28%)	0 (0%)	20 (67%)	3 (10%)	7 (23%)	124 (79%)	17 (11%)	15 (11%)

DIAGRAM 11: Growth measurements plotted at the 1 year and 2 year health review contact – Trustwide

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=35)			WHSCT (n= 26)			BHSCT (n=29)			Regional (n=156)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Growth measurements plotted on centile chart at 1 year	27 (77%)	3 (9%)	5 (14%)	30 (97%)	1 (3%)	0 (0%)	35 (100%)	0 (0%)	0 (0%)	21 (81%)	4 (15%)	1 (4%)	13 (45%)	2 (7%)	14 (48%)	126 (81%)	10 (6%)	20 (13%)
	SHSCT (n= 35)			SEHSCT (n=30)			NHSCT (n=36)			WHSCT (n= 25)			BHSCT (n=30)			Regional (n=156)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Growth measurements plotted on centile chart at 2 year	32 (91%)	0 (0%)	3 (9%)	20 (67%)	3 (10%)	7 (23%)	30 (83%)	1 (3%)	5 (14%)	18 (72%)	0 (0%)	7 (28%)	18 (60%)	2 (7%)	10 (33%)	118 (76%)	6 (4%)	32 (21%)

DIAGRAM 12: Infant Feeding Status recorded – Trustwide

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=37)			WHSCT (n= 24)			BHSCT (n=30)			Regional (n=157)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Infant feeding status recorded at the NBR	35 (100%)	0 (0%)	0 (0%)	30 (97%)	1 (3%)	0 (0%)	36 (97%)	1 (3%)	0 (0%)	24 (100%)	0 (0%)	0 (0%)	28 (93%)	2 (7%)	0 (0%)	153 (97%)	4 (3%)	0 (0%)
Infant feeding status recorded at the 6-8 week contact	34 (97%)	0 (0%)	1 (3%)	29 (94%)	2 (6%)	0 (0%)	37 (100%)	0 (0%)	0 (0%)	24 (100%)	0 (0%)	0 (0%)	22 (93%)	7 (7%)	1 (0%)	146 (93%)	9 (6%)	2 (1%)
Infant feeding status recorded at the 14 – 16 week contact	33 (94%)	1 (3%)	1 (3%)	26 (0%)	4 (0%)	1 (0%)	36 (0%)	1 (0%)	0 (0%)	22 (0%)	2 (0%)	0 (0%)	24 (0%)	5 (0%)	1 (0%)	141 (0%)	13 (0%)	3 (0%)

DIAGRAM 12(continued): Infant Feeding Status recorded – Trustwide

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=35)			WHSCT (n= 26)			BHSCT (n=29)			Regional (n=156)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Infant feeding status Recorded at the 6-9 Month contact	23 (66%)	5 (14%)	7 (20%)	8 (26%)	8 (26%)	15 (48%)	31 (89%)	3 (9%)	1 (3%)	13 (50%)	11 (42%)	2 (8%)	16 (55%)	10 (35%)	3 (10%)	91 (58%)	37 (24%)	28 (18%)

DIAGRAM 13: Newborn Hearing Screening results available in file – Trustwide

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=37)			WHSCT (n= 24)			BHSCT (n=30)			Regional (n=157)		
New born hearing	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
New born hearing screening assessment available in file	32 (91%)	3 (9%)	0 (0%)	25 (81%)	6 (19%)	0 (0%)	34 (92%)	3 (8%)	0 (0%)	19 (79%)	5 (21%)	0 (0%)	26 (87%)	4 (13%)	0 (0%)	136 (87%)	21 (13%)	0 (0%)

Diagram 14: Newborn blood spot results available in file – Trustwide

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=37)			WHSCT (n= 24)			BHSCT (n=30)			Regional (n=157)		
Newborn blood spot	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Is the new born bloodspot result available in the file?	35 (100%)	0 (0%)	0 (0%)	31 (100%)	0 (0%)	0 (0%)	36 (97%)	1 (3%)	0 (0%)	23 (96%)	1 (4%)	0 (0%)	27 (90%)	3 (10%)	0 (0%)	152 (97%)	5 (3%)	0 (0%)
Is there evidence that the bloodspot result has been given to the parents?	33 (94%)	2 (6%)	0 (0%)	27 (87%)	4 (13%)	0 (0%)	35 (95%)	2 (5%)	0 (0%)	21 (88%)	3 (13%)	0 (0%)	26 (87%)	3 (10%)	1 (3%)	142 (90%)	14 (9%)	1 (1%)

DIAGRAM 15: Risk factors reviewed and updated

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=37)			WHSCT (n= 24)			BHSCT (n=30)			Regional (n=157)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Risk factors reviewed & updated at NRB	34 (97%)	1 (3%)	0 (0%)	31 (100%)	0 (0%)	0 (0%)	37 (100%)	0 (0%)	0 (0%)	21 (88%)	3 (12%)	0 (0%)	27 (90%)	3 (10%)	0	150 (96%)	7 (4%)	0 (0%)
Risk factors reviewed & Updated at 6 – 8 week contact	31 (89%)	3 (8%)	1 (3%)	30 (97%)	1 (3%)	0 (0%)	36 (97%)	1 (3%)	0 (0%)	22 (92%)	2 (8%)	0 (0%)	19 (63%)	10 (33%)	1 (3%)	138 (88%)	17 (11%)	2 (1%)
Risk factors reviewed & updated at the 14-16 week contact	30 (86%)	4 (11%)	1 (3%)	25 (81%)	5 (16%)	1 (3%)	36 (97%)	1 (3%)	0 (0%)	20 (83%)	4 (17%)	0 (0%)	16 (53%)	13 (43%)	1 (3%)	127 (81%)	27 (17%)	3 (2%)
	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=35)			WHSCT (n= 26)			BHSCT (n=29)			Regional (n=156)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Risk factors reviewed & updated at 1 year contact	22 (63%)	9 (26%)	4 (11%)	23 (74%)	8 (26%)	0 (0%)	32 (91%)	3 (9%)	0 (0%)	16 (62%)	10 (38%)	0 (0%)	9 (31%)	6 (21%)	14 (48%)	102 (65%)	36 (23%)	18 (12%)
	SHSCT (n= 35)			SEHSCT (n=30)			NHSCT (n=36)			WHSCT (n= 25)			BHSCT (n=30)			Regional (n=156)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Risk factors reviewed & updated at 2 year contact	31 (89%)	3 (8%)	1 (3%)	28 (93%)	2 (7%)	0 (0%)	32 (89%)	3 (8%)	1 (3%)	24 (96%)	1 (4%)	0 (0%)	15 (50%)	11 (37%)	4 (13%)	130 (83%)	20 (13%)	6 (4%)

DIAGRAM 16: Referrals required to another service at health review contacts – Trustwide

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=37)			WHSCT (n= 24)			BHSCT (n=30)			Regional (n=157)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Referral required at NBR	2 (6%)	33 (94%)	0 (0%)	2 (6%)	29 (94%)	0 (0%)	6 (16%)	31 (84%)	0 (0%)	2 (8%)	22 (92%)	0 (0%)	0 (0%)	30 (100%)	0 (0%)	12 (8%)	145 (92%)	0 (0%)
Referral required at 6-8 week contact	2 (6%)	32 (91%)	1 (3%)	0 (0%)	31 (100%)	0 (0%)	1 (3%)	36 (97%)	0 (0%)	0 (0%)	24 (100%)	0 (0%)	1 (3%)	28 (94%)	1 (3%)	4 (3%)	151 (96%)	2 (1%)
Referral required at 14-16 week contact	7 (20%)	27 (77%)	1 (3%)	5 (16%)	25 (81%)	1 (3%)	6 (16%)	31 (84%)	0 (0%)	4 (17%)	20 (83%)	0 (0%)	1 (3%)	27 (90%)	2 (7%)	23 (15%)	130 (83%)	4 (2%)
	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=35)			WHSCT (n= 26)			BHSCT (n=29)			Regional (n=156)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Referral required at the 6-9 month contact	0 (0%)	30 (86%)	5 (14%)	1 (2%)	15 (48%)	15 (48%)	0 (0%)	34 (97%)	1 (3%)	0 (0%)	24 (92%)	2 (8%)	1 (4%)	25 (86%)	3 (10%)	2 (1%)	128 (82%)	26 (17%)
Referral required at the 1 year contact	0 (0%)	31 (89%)	4 (11%)	0 (0%)	31 (100%)	0 (0%)	1 (3%)	34 (97%)	0 (0%)	3 (12%)	23 (88%)	0 (0%)	0 (0%)	15 (52%)	14 (48%)	4 (3%)	134 (86%)	18 (11%)

DIAGRAM 16(continued): Referrals required to another service at health review contacts – Trustwide

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=35)			WHSCT (n= 26)			BHSCT (n=29)			Regional (n=156)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Referral required at the 2 year contact	2 (6%)	32 (91%)	1 (3%)	4 (13%)	26 (87%)	0 (0%)	7 (19%)	28 (78%)	1 (3%)	4 (16%)	21 (84%)	0 (0%)	3 (10%)	24 (80%)	3 (10%)	20 (13%)	131 (84%)	5 (3%)
	SHSCT (n= 35)			SEHSCT (n=29)			NHSCT (n=36)			WHSCT (n= 24)			BHSCT (n=25)			Regional (n=149)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Referral required at the 4 year contact	3 (8%)	30 (86%)	2 (6%)	2 (7%)	17 (59%)	10 (34%)	3 (8%)	33 (92%)	0 (0%)	3 (12%)	15 (63%)	6 (25%)	0 (0%)	12 (48%)	13 (52%)	11 (7%)	107 (72%)	31 (21%)

DIAGRAM 17: Completion of summary assessment

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=37)			WHSCT (n= 24)			BHSCT (n=30)			Regional (n=157)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Summary assessment completed at 14 – 16 week contact	33 (94%)	2 (6%)	0 (0%)	27 (87%)	3 (10%)	1 (3%)	29 (78%)	8 (22%)	0 (0%)	22 (92%)	2 (6%)	0 (0%)	20 (67%)	10 (33%)	0 (0%)	131 (83%)	25 (16%)	1 (1%)

DIAGRAM 17(continued): Completion of summary assessment

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=35)			WHSCT (n= 26)			BHSCT (n=29)			Regional (n=156)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Summary assessment completed at 1 year contact	20 (57%)	11 (31%)	4 (12%)	24 (77%)	7 (23%)	0 (0%)	29 (83%)	6 (17%)	0 (0%)	19 (73%)	7 (27%)	0 (0%)	6 (21%)	10 (34%)	13 (45%)	98 (63%)	41 (26%)	17 (11%)
	SHSCT (n= 35)			SEHSCT (n=30)			NHSCT (n=36)			WHSCT (n= 25)			BHSCT (n=30)			Regional (n=156)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Summary assessment completed at 2 year contact	24 (68%)	10 (29%)	1 (3%)	20 (67%)	10 (33%)	0 (0%)	26 (72%)	9 (25%)	1 (3%)	19 (76%)	6 (24%)	0 (0%)	2 (1%)	23 (92%)	5 (17%)	91 (58%)	58 (37%)	7 (5%)

DIAGRAM 18: Family Health Assessments which identified additional needs

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=37)			WHSCT (n= 24)			BHSCT (n=30)			Regional (n=157)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
FHA identified additional health needs	2 (6%)	33 (94%)	0 (0%)	10 (32%)	21 (68%)	0 (0%)	3 (8%)	32 (87%)	2 (5%)	4 (17%)	20 (83%)	0 (0%)	1 (3%)	26 (87%)	3 (10%)	20 (13%)	132 (84%)	5 (3%)

DIAGRAM 19: Prediction and Detection Questions - Trust wide

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=37)			WHSCT (n= 24)			BHSCT (n=30)			Regional (n=157)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Prediction and detection questions asked on 2 occasion by the 14-16 week contact	25 (71%)	10 (29%)	0 (0%)	24 (77%)	7 (23%)	0 (0%)	29 (78%)	8 (22%)	0 (0%)	19 (79%)	5 (21%)	0 (0%)	11 (37%)	19 (63%)	0 (0%)	108 (69%)	49 (31%)	0 (0%)

DIAGRAM 20 & 21: Routine enquiry made - Trust wide

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=37)			WHSCT (n= 24)			BHSCT (n=30)			Regional (n=157)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Routine enquiry made At antenatal contact	4 (11%)	7 (20%)	24 (69%)	3 (10%)	5 (16%)	23 (74%)	6 (16%)	6 (16%)	25 (68%)	0 (0%)	4 (17%)	20 (83%)	0 (0%)	0 (0%)	30 (100%)	13 (8%)	22 (14%)	122 (78%)
Routine enquiry made At postnatal contact	34 (97%)	1 (3%)	0 (0%)	21 (68%)	10 (32%)	0 (0%)	30 (81%)	7 (19%)	0 (0%)	16 (67%)	8 (33%)	0 (0%)	24 (80%)	6 (20%)	0 (0%)	125 (80%)	32 (20%)	0 (0%)

DIAGRAM 22: Evidence of Home safety discussions

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=35)			WHSCT (n= 26)			BHSCT (n=29)			Regional (n=156)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Evidence of home safety discussion	27 (77%)	1 (3%)	7 (20%)	13 (42%)	3 (10%)	15 (48%)	31 (88%)	3 (9%)	1 (2%)	11 (42%)	13 (50%)	2 (8%)	13 (45%)	13 (45%)	3 (10%)	95 (61%)	33 (21%)	28 (18%)

School Nursing Results

Diagram 23: Year 1 Health Appraisal Contacts completed and Parental Attendance

	SHSCT (n= 35)			SEHSCT (n=29)			NHSCT (n=36)			WHSCT (n= 24)			BHSCT (n=25)			Regional (n=149)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Year 1 health appraisal completed	35 (100%)	0 (0%)	0 (0%)	29 (100%)	0 (0%)	0 (0%)	35 (97%)	1 (3%)	0 (0%)	22 (92%)	2 (8%)	0 (0%)	24 (96%)	1 (4%)	0 (0%)	145 (97%)	4 (3%)	0 (0%)
Parents present	16 (46%)	19 (54%)	0 (0%)	22 (76%)	7 (24%)	0 (0%)	20 (56%)	16 (44%)	0 (0%)	18 (75%)	4 (17%)	2 (8%)	21 (84%)	3 (12%)	1 (4%)	97 (65%)	49 (33%)	3 (2%)

DIAGRAM 24: FHA Update - Trustwide

	SHSCT (n= 35)			SEHSCT (n=29)			NHSCT (n=36)			WHSCT (n= 24)			BHSCT (n=25)			Regional (n=149)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
FHA updated	11 (31%)	1 (3%)	23 (66%)	2 (7%)	11 (38%)	16 (55%)	5 (14%)	4 (11%)	27 (75%)	1 (4%)	4 (17%)	19 (79%)	9 (36%)	12 (48%)	4 (16%)	28 (19%)	32 (21%)	89 (60%)

DIAGRAM 25: Year 1 growth measurements completed – Trustwide

	SHSCT (n= 35)			SEHSCT (n=29)			NHSCT (n=36)			WHSCT (n= 24)			BHSCT (n=25)			Regional (n=149)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Year 1 growth measurements been completed	35 (100%)	0 (0%)	0 (0%)	29 (100%)	0 (0%)	0 (0%)	33 (92%)	1 (3%)	2 (5%)	22 (92%)	0 (0%)	2 (8%)	23 (92%)	0 (0%)	2 (8%)	142 (95%)	1 (1%)	6 (4%)

DIAGRAM 26: Concerns about child’s growth identified – Trustwide

	SHSCT (n= 35)			SEHSCT (n=29)			NHSCT (n=36)			WHSCT (n= 24)			BHSCT (n=25)			Regional (n=149)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Concerns about the child's growth identified	1 (3%)	33 (94%)	1 (3%)	4 (14%)	25 (86%)	0 (0%)	3 (8%)	30 (84%)	3 (8%)	1 (4%)	21 (88%)	2 (8%)	0 (0%)	23 (92%)	2 (8%)	9 (6%)	132 (88%)	8 (6%)

DIAGRAM 27: Year I referrals required

	SHSCT (n= 35)			SEHSCT (n=29)			NHSCT (n=36)			WHSCT (n= 24)			BHSCT (n=25)			Regional (n=149)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Referral required to another service	6 (17%)	29 (85%)	0 (0%)	4 (14%)	25 (86%)	0 (0%)	5 (14%)	30 (83%)	1 (3%)	4 (17%)	19 (79%)	1 (4%)	7 (28%)	17 (68%)	1 (4%)	26 (17%)	120 (81%)	3 (2%)

DIAGRAM 28: Year 8 contacts

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=36)			WHSCT (n= 25)			BHSCT (n=30)			Regional (n=155)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Referral required to another service	27 (77%)	8 (23%)	0 (0%)	17 (55%)	14 (45%)	0 (0%)	31 (86%)	5 (14%)	0 (0%)	24 (96%)	1 (4%)	0 (0%)	6 (20%)	24 (80%)	0 (0%)	103 (66%)	52 (34%)	0 (0%)

DIAGRAM 29: Year 8 Growth measurements completed

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=36)			WHSCT (n= 25)			BHSCT (n=30)			Regional (n=155)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Year 8 growth measurements been completed	27 (77%)	6 (17%)	2 (6%)	17 (55%)	1 (3%)	13 (42%)	31 (86%)	2 (6%)	3 (8%)	24 (96%)	0 (0%)	1 (4%)	6 (20%)	1 (3%)	23 (77%)	105 (67%)	10 (6%)	42 (27%)

DIAGRAM 30: Year 8 Concerns about the child's growth identified

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=36)			WHSCT (n= 25)			BHSCT (n=30)			Regional (n=157)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Concerns identified about child's growth	0 (0%)	26 (74%)	9 (26%)	0 (0%)	11 (35%)	20 (65%)	6 (17%)	26 (72%)	4 (11%)	0 (0%)	24 (96%)	1 (4%)	2 (7%)	4 (13%)	24 (80%)	8 (5%)	91 (58%)	58 (37%)

DIAGRAM 31: Year 8 referrals required

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=36)			WHSCT (n= 25)			BHSCT (n=30)			Regional (n=157)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Referral to another service required	1 (3%)	26 (74%)	8 (23%)	0 (0%)	18 (58%)	13 (42%)	3 (8%)	23 (64%)	10 (28%)	0 (0%)	24 (96%)	1 (4%)	2 (7%)	4 (13%)	24 (80%)	6 (4%)	95 (60%)	56 (36%)

DIAGRAM 32: Evidence of medical conditions requiring health plan

	SHSCT (n= 35)			SEHSCT (n=31)			NHSCT (n=36)			WHSCT (n= 25)			BHSCT (n=30)			Regional (n=157)		
	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A	Yes	No	N/A
Evidence of a medical condition requiring Health Plan?	1 (3%)	31 (88%)	3 (9%)	0 (0%)	18 (58%)	13 (42%)	1 (3%)	29 (80%)	6 (17%)	0 (0%)	24 (96%)	1 (4%)	0 (0%)	4 (13%)	26 (87%)	2 (1%)	106 (68%)	49 (31%)