

# Northern Ireland greenhouse gas inventory 1990-2014 statistical bulletin

**Date of publication:** 14 June 2016

## Key points:

- In 2014, Northern Ireland's greenhouse gas emissions were estimated to be 20.3 million tonnes of carbon dioxide equivalent. This was a decrease of 3.0% compared to 2013.
- The longer term trend showed a decrease of 17.4% compared to the base year. The base year is 1990 for carbon dioxide, methane and nitrous oxide, and 1995 for the fluorinated gases.
- The largest sectors in terms of emissions in 2014 were agriculture (28%), transport (21%) and energy supply (19%). Most sectors showed a decreasing trend since the base year. The largest decreases were in the energy supply, residential and waste sectors. They were driven by improvements in energy efficiency, fuel switching from coal to natural gas, which became available in the late 1990s, and the introduction of methane capture and oxidation systems in landfill management.
- Northern Ireland accounted for 4.0% of UK greenhouse gas emissions in 2014. In total, the UK reduced emissions by 36% between the base year and 2014. England and Scotland reduced emissions by 38% and 41%. Wales and Northern Ireland reduced emissions by 18% and 17%. Regional estimates are less certain than the UK estimate.

**Coverage:** Northern Ireland

**Frequency:** Annual

**URL:** <https://www.daera-ni.gov.uk/articles/northern-ireland-greenhouse-gas-inventory>

**Theme:** Agriculture and Environment

**Reporting Period:** 1990-2014

**An Official Statistics publication**



## Contents

Introduction	2
By source emissions	2
Performance towards targets	4
Uncertainty	4
End user emissions	7
Background information	7

## Published by:

Farm Surveys Branch  
Department of Agriculture, Environment  
and Rural Affairs  
Room 816, Dundonald House  
Upper Newtownards Road  
Ballymiscaw  
Belfast BT4 3SB

**Statistician:** Gary Ewing

**Telephone:** 028 9054 0245

**Email:** [gary.ewing@daera-ni.gov.uk](mailto:gary.ewing@daera-ni.gov.uk)



## Introduction


The purpose of this statistical bulletin is to summarise the latest published estimates of greenhouse gas emissions for Northern Ireland. The full report from which these estimates are sourced is available from the National Atmospheric Emissions Inventory website [http://naei.defra.gov.uk/reports/reports?report\\_id=894](http://naei.defra.gov.uk/reports/reports?report_id=894).

## By source emissions

The focus of the report, and this statistical bulletin, is on 'by source' emissions, which are allocated to the source sector in which they occur. 'End user' emissions, where energy supply emissions are allocated to energy users, are also available.

- In 2014, Northern Ireland's greenhouse gas emissions were estimated to be 20.3 million tonnes of carbon dioxide equivalent (MtCO<sub>2</sub>e). This was a decrease of 3.0% compared to 2013.
- The longer term trend showed a decrease of 17.4% compared to 24.6 MtCO<sub>2</sub>e in the base year. The base year is 1990 for carbon dioxide, methane and nitrous oxide, and 1995 for the fluorinated gases.
- Carbon dioxide accounted for 68% of all greenhouse gas emissions in Northern Ireland (13.8 MtCO<sub>2</sub>) in 2014. The proportions of each gas are shown in Figure 1. Carbon dioxide was the most common gas emitted across all sectors except for agriculture and waste management. For the agriculture sector, methane from livestock and nitrous oxide from soils were more significant greenhouse gases than carbon dioxide. Methane from landfill was the main greenhouse gas from the waste management sector.

**Figure 1: Greenhouse gas emissions by gas**  
Northern Ireland, 2014



- Northern Ireland accounted for 4.0% of total UK greenhouse gas emissions in 2014. For methane and nitrous oxide Northern Ireland accounted for larger shares of the UK's emissions at 8.1% and 7.9% respectively. Agricultural sources accounted for a higher proportion of emissions in Northern Ireland than other parts of the UK due to the relative importance of agriculture to the Northern Ireland economy.

**Table 1: Greenhouse gas emissions by sector**

Northern Ireland; base year, 2013, 2014

Units: MtCO<sub>2</sub>e

Sector	base year	2013	2014	% of total emissions 2014	% change base year to 2014	% change 2013 to 2014
Agriculture	6.1	5.8	5.8	28	-5.2	-0.6
Business	2.9	2.4	2.5	12	-14.2	2.1
Energy supply	5.4	4.1	3.8	19	-28.5	-5.8
Industrial process	0.8	0.1	0.2	1	-76.0	21.6
Land use change	0.1	0.4	0.4	2	238.7	5.6
Public	0.5	0.2	0.2	1	-61.7	-7.0
Residential	3.8	3.0	2.6	13	-33.3	-13.6
Transport	3.3	4.3	4.3	21	30.4	0.5
Waste management	1.7	0.6	0.5	3	-68.0	-9.8
Total	24.6	21.0	20.3	100	-17.4	-3.0

Unrounded source data are available from

<https://www.daera-ni.gov.uk/publications/northern-ireland-greenhouse-gas-inventory-1990-2014-statistical-bulletin>

- The largest sectors in terms of emissions in 2014 were agriculture (28%), transport (21%) and energy supply (19%). Most sectors showed a decreasing trend since the base year as can be seen in Table 1 and Figure 3. The largest decreases were in the energy supply, residential and waste sectors. They were driven by improvements in energy efficiency, fuel switching from coal to natural gas, which became available in the late 1990s, and the introduction of methane capture and oxidation systems in landfill management.
- Between 2013 and 2014 the residential and energy supply sectors accounted for most of decrease in Northern Ireland's emissions. These decreases were related to higher average temperatures in 2014, and a change in fuel mix as power stations used less coal and more natural gas. The industrial process and waste management sectors also had large percentage changes but these related to relatively small changes in emissions, due to increased cement production and continued improvements to landfill management systems.

- The transport and land use change sectors showed higher emissions in 2014 than in the base year. Overall transport emissions increased by 30% from the base year due to growth in demand for transport. However by 2014 there had been a decline of 9% from the peak in 2007 due in part to improvements in fuel efficiencies of newer vehicles, the switch from petrol to diesel cars, and a reduction in traffic volumes.

## **Performance towards targets**

- The UK Climate Change Act commits the UK to reducing emissions by at least 80% by 2050 from 1990 baseline levels.
- The draft Programme for Government Framework 2016-2021 contains greenhouse gas emissions as a measure for indicator 29: increase environmental sustainability. The consultation on this framework opened on 27 May 2016 and will close on 22 July 2016.
- The trends in greenhouse gas emissions vary across the different parts of the UK between the base year and 2014. It should be noted that the regional estimates are less certain than the overall UK estimate.
  - UK has reduced emissions by 36%
  - England has reduced emissions by 38%
  - Scotland has reduced emissions by 41%
  - Wales has reduced emissions by 18%
  - Northern Ireland has reduced emissions by 17%

Note that the UK greenhouse gas emissions publication uses a 1990 base year for all gases which results in a reduction of 35% by 2014. Note also that for consistency in the above list, the figure for Scotland does not include international aviation and shipping. However the Scottish Government do include international aviation and shipping in their greenhouse gas statistics.


## **Uncertainty**

- When using the statistics in this bulletin users should be aware of the levels of uncertainty around the published estimates. For example, the estimated reduction of 17.4% in Northern Ireland greenhouse gas emissions has a 95% confidence interval that ranges from 8% to 29%. For more information see background notes 4 and 5.

**Figure 2: Greenhouse gas emissions**


Northern Ireland, 1990 to 2014

MtCO<sub>2</sub>e



**Figure 3: Greenhouse gas emissions by sector**  
Northern Ireland, 1990 to 2014

MtCO<sub>2</sub>e



## End user emissions

- The end user inventory reallocates the emissions by source depending on where the end user activity occurred. For example, when reporting on a by source basis, all of the carbon dioxide produced by a power station is allocated to the energy supply sector. On an end user basis, these emissions are reallocated to the users of the electricity, such as domestic homes and industry.
- Total greenhouse gas emissions for Northern Ireland in 2014 in the end user inventory were 20.8 MtCO<sub>2</sub>e. This was 2% higher than the by source inventory because Northern Ireland was a net importer of electricity.
- Four sectors accounted for more than 90% of end user emissions in 2014. These were agriculture (28%), transport (23%), business (20%) and residential (19%).
- End user emissions do not take account of emissions “embedded” within manufactured goods and services which the UK imports and exports. Embedded emissions capture what is sometimes referred to as the “carbon footprint”. Such a calculation would be on a “consumption” basis, reporting on emissions embedded in goods and services across international borders, and is considerably more challenging. Statistics on the UK’s Carbon Footprint are available from the Department for Environment, Food and Rural Affairs <https://www.gov.uk/government/statistics/uks-carbon-footprint>.

## Background information

1. This is the seventh release of the Northern Ireland greenhouse gas inventory statistical bulletin. It will continue to be updated annually. The data were produced by Ricardo Energy and Environment and Aether, on behalf of the Department for Energy and Climate Change, the Scottish Government, the Welsh Assembly Government and the Northern Ireland Department of Agriculture, Environment and Rural Affairs.
2. Each year the greenhouse gas inventory is extended and updated. The entire historical data series is revised to incorporate methodological improvements and new data. This takes into account revisions to the datasets used in its compilation. Therefore, once the latest year’s inventory is published, the previous version becomes redundant and cannot be used for comparison purposes. However the latest inventory contains a single consistent time series going back to 1990 which can be used to examine trends.
3. Emissions are reported for seven greenhouse gases: carbon dioxide (CO<sub>2</sub>), methane (CH<sub>4</sub>), nitrous oxide (N<sub>2</sub>O), hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), sulphur hexafluoride (SF<sub>6</sub>) and nitrogen trifluoride (NF<sub>3</sub>). Depending on their molecular weights, radiative properties and residence times in the atmosphere, each greenhouse gas has a different capacity to cause global warming. The base year is 1990 for carbon dioxide, methane and nitrous oxide, and 1995 for the fluorinated gases. The fluorinated gases are

hydrofluorocarbons, perfluorocarbons, sulphur hexafluoride and nitrogen trifluoride. Emissions in this bulletin are reported according to the National Communication sectors. This is in accordance with international reporting guidelines from the United Nations Framework Convention on Climate Change (UNFCCC). Descriptions of each sector are available in Table 2.

4. The greenhouse gas emission estimates are based on a wide range of data sources and sources of uncertainty include statistical differences, assumptions, proxy datasets and expert judgement. In addition, the natural variability in the processes that are being modelled introduce uncertainty. For example, carbon content of fuels and farming practices under different climatic conditions and soil types. The uncertainties are presented as confidence intervals. The width of the interval provides a measure of the accuracy of the estimate.
5. Uncertainty estimates for Northern Ireland emissions are available for the base year, the latest year (2014) and for the percentage change between the two years. For the base year, the 95% confidence interval is  $\pm 10\%$ , and for 2014 it is  $\pm 7\%$ . For the percentage reduction between the base year and 2014, the 95% confidence interval ranges from 8% to 29%, with a central estimate of 17.4%. There remains greater uncertainty around emissions in Northern Ireland compared to other parts of the United Kingdom due to the relative importance of nitrous oxide emissions in the agriculture sector. Emissions of this gas are more difficult to estimate than carbon dioxide, and the agriculture sector makes up a larger share of Northern Ireland's emissions than in other parts of the UK.
6. Official Statistics are produced to a high professional standard. They undergo regular quality assurance reviews to ensure that they meet customer needs. They are produced free from any political interference. As we want to engage with users of our statistics, we invite you to feedback your comments on this publication. Contact details are available on the front cover.
7. The UK greenhouse gas inventory National Statistics user guide provides a simple guide to the origins and use of data in the compilation of the UK Greenhouse Gas Inventory. This guide can be accessed through the Department of Energy and Climate Change website <https://www.gov.uk/government/publications/uk-greenhouse-gas-emissions-statistics-user-guidance>.



**Table 2: Overview of National Communication sectors**

<b>Sector</b>	<b>Description</b>
Energy supply	Emissions are predominantly from power stations but also coal mining, oil refineries and other fuel production. Emissions are significantly affected by abatement technology at power stations and the type of fuel being produced or combusted.
Transport	Includes road transport, domestic shipping and aviation, and aircraft support vehicles. Road transport is the most significant source therefore emissions are affected by vehicle efficiency, distance travelled and number of vehicles.
Residential	Includes fuel combustion for heating, cooking, garden machinery, gases released from aerosols and inhalers, and emissions released from the breakdown of products such as detergents. Emissions are affected by energy efficiency, heating and hot water demands, and the fuel type for domestic combustion.
Business	Includes emissions from stationary combustion in the industrial and commercial sectors, industrial off-road machinery, and refrigeration and air conditioning.
Public	Includes emissions from fuel combustion in public sector buildings (e.g. public administration, defence, education and health and social work). Emissions are predominantly affected by fuel type.
Industrial process	Includes all emissions from industry except fuel combustion and therefore includes chemical and metal production, and mineral products (e.g. cement and lime). Emissions are significantly affected by abatement technology.
Agriculture	Includes emissions from livestock, agricultural soils, stationary combustion, and off-road machinery. Emissions are affected by the number of livestock, the quantity of fertiliser applied to land, and the intensity of activity.
Land use change	This covers sinks and sources of emissions from land use, land use change and forestry. Sinks remove GHGs from the atmosphere whilst sources emit GHGs. Emissions are affected by deforestation rates and land management.
Waste management	Emissions include those from waste disposed at landfills, wastewater treatment, and waste incineration. Emissions are affected by regulation of landfills and the proportion of waste that is recycled.