
Director of Engineering Memorandum**DEM 159/17****DEM TITLE: Allocation of Structure and VRS Safety Barrier Reference Numbers****Appendix B – Allocation Of Number Ranges For VRS Safety Barriers (Structure type prefix VR)****Page B-1 of 5**

Range	Sub-range	Division	Availability for new numbers	Translation of Existing Numbers prior to DEM 159 / Other Comments
00000 to 09999	None	Not allocated	Not available. Reserved for future use.	
10000 to 19999	10000 to 13999	New Northern	Available to Division	
	14000 to 14699		Available to DBFO1 New Northern	DBFO1 Additional in Eastern & Northern 54529 to 54610 now in New Northern become 14529 to 14610.
	14700 to 15999		Available to DBFO1 New Northern	DBFO1 Initial Inventory in Eastern & Northern 34982 to 35881 now in New Northern become 14982 to 15881
	16000 to 19999		Available to Division	

Director of Engineering Memorandum**DEM 159/17****DEM TITLE: Allocation of Structure and VRS Safety Barrier Reference Numbers****Appendix B – Allocation Of Number Ranges For VRS Safety Barriers (Structure type prefix VR)****Page B-2 of 5**

Range	Sub-range	Division	Availability for new numbers	Translation of Existing Numbers prior to DEM 159 / Other Comments
20000 to 29999	20000 to 20999	New Eastern	Available to Division	
	21000 to 21999		Available to Division	Belfast North area former 10001 to 10029 become 21001 to 21029
	22000 to 22999		Available to Division	Belfast South area former 20001 to 20081 become 22001 to 22081
	23000 to 23999		Available to Division	Castlereagh area former 30001 to 30070 become 23001 to 23070
	24000 to 24499		Available to Division	Lisburn area former 40001 to 40172 become 24001 to 24172
	24500 to 24699		Available to DBFO1 New Eastern	DBFO1 Eastern & Northern Additions 54529 to 54610 now in New Eastern; become 24529 to 24610.
	24700 to 25999		Available to DBFO1 New Eastern	DBFO1 Eastern & Northern initial inventory 34982 to 35881 now in New Eastern; become 24982 to 25881.
	26000 to 27999		Available to Division	
	28000 to 28999		Available to DBFO2 M1 New Eastern	DBFO2 M1 in Eastern 31001 to 31364 now in New Eastern become 28001 to 28364
	29000 to 29999		Available to DBFO2 A1/A101 New Eastern	DBFO2 A1/A101 in Eastern 41001 to 41213 now in New Eastern become 29001 to 29213

**Director of Engineering Memorandum
DEM 159/17**

DEM TITLE: Allocation of Structure and VRS Safety Barrier Reference Numbers

Appendix B – Allocation Of Number Ranges For VRS Safety Barriers (Structure type prefix VR)

Range	Sub-range	Division	Availability for new numbers	Translation of Existing Numbers prior to DEM 159 / Other Comments
30000 to 39999	30000 to 31999	New Northern	Available to Division	
	32000 to 32999		Available to Division	Limavady area former 20001 to 20525 become 32001 to 32525
	33000 to 33999		Available to Division	Coleraine Area former 30001 to 30618 become 33001 to 33618
	34000 to 34999		Available to Division	Ballymoney area former 40001 to 40131 become 34001 to 34131
	35000 to 35999		Available to Division	Moyle area former 50001 to 50061 become 35001 to 35061
	36000 to 36999		Available to Division	Ballymena area former 60006 to 60524 become 36006 to 36524
	37000 to 37999		Available to Division	Antrim area former 70001 to 700548 become 37001 to 37548
	38000 to 38999		Available to Division	Larne area former 80001 to 80099 become 38001 to 38099
	39000 to 34999		Available to Division	Newtownabbey area former 91001 to 91128 become 39001 to 39128
	39500 to 39999		Available to Division	Carrick area former 96036 to 96125 become 39536 to 39625

Director of Engineering Memorandum**DEM 159/17****DEM TITLE: Allocation of Structure and VRS Safety Barrier Reference Numbers****Appendix B – Allocation Of Number Ranges For VRS Safety Barriers (Structure type prefix VR)****Page B-4 of 5**

Range	Sub-range	Division	Availability for new numbers	Translation of Existing Numbers prior to DEM 159 / Other Comments
40000 to 49999	40000 to 40999	New Southern	Available to DBFO2 M1 New Southern	Former DBFO2 M1 & M12 in Southern 31076 to 31380 now in New Southern become 40076 to 40380
	41000 to 41999		Available to DBFO2 A1 New Southern	Former DBFO2 A1 in Southern 41001 to 41355 now in New Southern remain unchanged
	42000 to 42999		Available to Division	Ards area former 60001 to 60150 become 42001 to 42150
	43000 to 43999		Available to Division	Banbridge area former numbers 75xxx become 43xxx
	44000 to 44999		Available to Division	Craigavon area former numbers (80xxx ?) become 44xxx
	45000 to 45999		Available to Division	North Down area former numbers ??xxx become 45xxx
	46000 to 46999		Available to Division	Newry & Mourne area former 65000 to 65275 become 46000 to 46275
	47000 to 47999		Available to Division	Down area former 70001 to 70150 become 47001 to 47150
	48000 to 48999		Available to Division	Armagh area former 85xxx become 485xx
	49000 to 49999		Available to Division	
50000 to 59999	50000 to 59999	New Southern	Available to Division	

**Director of Engineering Memorandum
DEM 159/17**

DEM TITLE: Allocation of Structure and VRS Safety Barrier Reference Numbers

Appendix B – Allocation Of Number Ranges For VRS Safety Barriers (Structure type prefix VR)

Range	Sub-range	Division	Availability for new numbers	Translation of Existing Numbers prior to DEM 159 / Other Comments
60000 to 69999	60000 to 65999	New Western	Available to Division	Cookstown (60xxx), Dungannon (61xxx), Fermanagh (62xxx), Magherafelt (63xxx), Omagh (64xxx) & Strabane (65xxx) areas - numbers remain unchanged.
	66000 to 66999		Available to Division	Londonderry area in Northern former 10003 to 10263 now in New Western become 66003 to 66263
	67000 to 67999		Available to DBFO2 on M1	DBFO2 M1 in Western 31001 to 31388 now in New Western become 67001 to 67388
	68000 to 68999		Available to DBFO2 on A4	DBFO2 A4 in Western 44001 to 44184 now in New Western become 68001 to 68184
	69000 to 69999		Available to Division	
70000 to 79999	70000 to 79999	New Western	Available to Division	
80000 to 89999	None	Not allocated	Not available. Reserved for future use.	
90000 to 99999	90000 to 99999	New Eastern	Available to Division	

Notes:

Not all numbers in any given range are used.

By convention, numbers ending in four zeros (10000, 20000, etc) have not generally been used, but there is no prohibition on using them.